

SAFETY DATA SHEET

Sodium Persulfate

SDS # : 7775-27-1
Revision date: 2018-07-13
Format: NA
Version 1.04



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Sodium Persulfate
CAS-No 7775-27-1
Synonyms Sodium Peroxydisulfate; Disodium Peroxydisulfate; Peroxydisulfuric acid, disodium salt; Peroxydisulfuric acid, sodium salt.

Recommended use of the chemical and restrictions on use

Recommended Use: Polymerization initiator; Etchant and cleaner for printed circuit boards; Hair bleaching formulations; Secondary oil recovery; Oxidizing agent for a variety of organic reactions.

Restrictions on Use No uses to be advised against were identified.

Manufacturer/Supplier

PeroxyChem LLC
2005 Market Street
Suite 3200
Philadelphia, PA 19103
Phone: +1 267/ 422-2400 (General Information)
E-Mail: sdsinfo@peroxychem.com

Emergency telephone numbers

For leak, fire, spill or accident emergencies, call:
1 800 / 424 9300 (CHEMTREC - U.S.A.)
1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)
1 303/ 389-1409 (Medical - U.S. - Call Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2B
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Oxidizing Solids	Category 3

GHS Label elements, including precautionary statements**EMERGENCY OVERVIEW****Danger****Hazard Statements**

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335 - May cause respiratory irritation
H319 - Causes serious eye irritation
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H302 - Harmful if swallowed
H272 - May intensify fire; oxidizer

**Precautionary Statements - Prevention**

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray
P285 - In case of inadequate ventilation wear respiratory protection
P271 - Use only outdoors or in a well-ventilated area
P280 - Wear protective gloves/ protective clothing
P264 - Wash face, hands and any exposed skin thoroughly after handling
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P220 - Keep/Store away from clothing/combustible materials
P221 - Take any precaution to avoid mixing with combustibles

Precautionary Statements - Response

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical advice/ attention
P302 + P352 - IF ON SKIN: Wash with plenty of water.
P333 + P313 - If skin irritation or rash occurs: Get medical advice/ attention
P362 - Take off contaminated clothing and wash before reuse
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor
P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell
P330 - Rinse mouth
P370 + P378 - In case of fire: Use water for extinction

Precautionary Statements - Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Risk of decomposition by heat or by contact with incompatible materials

Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTSFormula Na₂O₈S₂

Chemical name	CAS-No	Weight %
Sodium Persulfate	7775-27-1	> 99
Sodium sulfate	7757-82-6	< 1

4. FIRST AID MEASURES

General Advice	Remove from exposure, lie down. Show this material safety data sheet to the doctor in attendance.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids intermittently. Consult a physician. In case of contact, immediately flush eyes with plenty of water. If symptoms persist, call a physician.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.
Inhalation	Remove from exposure, lie down. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth. Drink 1 or 2 glasses of water.
Most important symptoms and effects, both acute and delayed	Itching; Redness; Coughing and/ or wheezing.
Indication of immediate medical attention and special treatment needed, if necessary	Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Water. Cool containers with flooding quantities of water until well after fire is out.
Unsuitable extinguishing media	Do not use carbon dioxide or other gas filled fire extinguishers; they will have little effect on decomposing persulfate.
Specific Hazards Arising from the Chemical	Decomposes under fire conditions to release oxygen that intensifies the fire.
Explosion data	
Sensitivity to Mechanical Impact	Not sensitive.
Sensitivity to Static Discharge	Not sensitive.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Keep off any unprotected persons. Avoid contact with the skin and the eyes. Avoid breathing dust. Wear personal protective equipment.
Other	Never add other substances or combustible waste to product residues.

Sodium Persulfate

SDS # : 7775-27-1
Revision date: 2018-07-13
Version 1.04

Environmental Precautions	Knock down dust with water spray. Avoid penetration into waterways, sewers, soil or groundwater. Local authorities should be advised if significant spillages cannot be contained.
Methods for Containment	Vacuum, shovel or pump waste into a drum and label contents for disposal. Avoid dust formation. Store in closed container.
Methods for cleaning up	Clean up spill area and treat as special waste. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling	Wear personal protective equipment. Avoid breathing dust. Handle product only in closed system or provide appropriate exhaust ventilation at machinery. Avoid contact with skin and eyes. Remove and wash contaminated clothing before re-use.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat. Do not store near combustible materials. Avoid contamination of opened product. Keep away from food, drink and animal feedingstuffs. Avoid formation and deposition of dust.
Incompatible products	Acids. Bases, Halides, Oxidizing agents, Strong reducing agents, Combustible materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Sodium Persulfate 7775-27-1	TWA: 0.1 mg/m ³	-	-	-
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Sodium Persulfate 7775-27-1	TWA: 0.1 mg/m ³	-	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³

Appropriate engineering controls

Engineering measures Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Eye protection recommended. Chemical goggles consistent with EN 166 or equivalent.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves: Neoprene gloves, Polyvinylchloride, Natural Rubber.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn: particulate filtering facepiece respirators.

Hygiene measures Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Wash hands before breaks and after shifts. Keep work clothes separate, remove contaminated clothing - launder after open handling of product.

General information Protective engineering solutions should be implemented and in use before personal protective equipment is considered.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Appearance	Crystalline solid
Physical State	Solid
Color	White
Odor	odorless
Odor threshold	Not applicable
pH	6.0 (1% solution)
Melting point/freezing point	180 °C (Decomposes)
Boiling Point/Range	Decomposes on heating
Flash point	Not flammable
Evaporation Rate	Not applicable
Flammability (solid, gas)	Not flammable
Flammability Limit in Air	Not applicable
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	6.07E-30 mm Hg at 25°C
Vapor density	No information available
Density	2.59 g/cm ³ (crystal density)
Specific gravity	No information available
Water solubility	42 % @ 25 °C
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No evidence of combustion up to 600°C
Decomposition temperature	> 100 °C (assume)
Viscosity, kinematic	No information available (Solid)
Viscosity, dynamic	No information available
Explosive properties	Not explosive
Oxidizing properties	oxidizer
Molecular weight	238.1
VOC content (%)	Not applicable
Bulk density	1.12 g/cm ³ (loose)

10. STABILITY AND REACTIVITY

Reactivity	Strong oxidizer. Oxidizer. Contact with other material may cause fire.
Chemical Stability	Decomposition can occur on exposure to heat or moisture.
Possibility of Hazardous Reactions	Use of persulfates in chemical reactions requires appropriate precautions and design considerations for pressure and thermal relief. Decomposing persulfates will evolve large volumes of gas and/or vapor, can accelerate exponentially with heat generation, and create significant and hazardous pressures if contained and not properly controlled or mitigated. Use with alcohols in the presence of water has been demonstrated to generate conditions that require rigorous adherence to process safety methods and standards to prevent escalation to an uncontrolled reaction.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Heat. (decomposes at 275 °C); Moisture.
Incompatible materials	Bases, Halides, Oxidizing agents, Strong reducing agents, Combustible materials. Acids.
Hazardous Decomposition Products	Oxygen which supports combustion; Sulfur oxides.

11. TOXICOLOGICAL INFORMATION**Product Information**

Sodium Persulfate

SDS # : 7775-27-1
Revision date: 2018-07-13
Version 1.04

Unknown acute toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

LD50 Oral 895 920 mg/kg (rat) (Sodium Persulfate)
LD50 Dermal > 10,000 mg/kg (rabbit) (Sodium Persulfate)
LC50 Inhalation > 5.1 mg/L (rat) (4-hr) (Sodium Persulfate)

Serious eye damage/eye irritation Irritating to eyes.
Skin corrosion/irritation Minimally irritating.

Sensitization Sensitizing to skin and respiratory system.

Component Information

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation	NOAEL Oral Value
Sodium Persulfate (7775-27-1)	895 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	> 21.6 mg/L (Rat) 4 h	
Sodium sulfate (7757-82-6)	> 10000 mg/kg (Rat)			

Information on toxicological effects

Symptoms Symptoms of allergic reaction may include rash, itching, swelling and trouble breathing.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin.
corrosivity None.

Carcinogenicity Did not show carcinogenic effects in animal experiments.

Mutagenicity In vivo tests did not show mutagenic effects.

Reproductive toxicity This product is not recognized as reprotox by Research Agencies.

STOT - single exposure May cause respiratory irritation.
STOT - repeated exposure Not classified.
Subchronic toxicity Oral (NOAEL) = 131.5 mg/kg bw (Sodium Persulfate)
Inhalation (NOAEC) = 10.3 mg/m³ (Ammonium Persulfate) Dermal: No data available

Target organ effects Eyes, Skin, Respiratory System.

Aspiration hazard Not applicable.

12. ECOLOGICAL INFORMATION**Ecotoxicity****Ecotoxicity effects**

Sodium Persulfate (7775-27-1)				
Active Ingredient(s)	Duration	Species	Value	Units
Sodium Persulfate	96 h LC50	Rainbow trout	163	mg/L
Sodium Persulfate	48 h LC50	Daphnia magna	133	mg/L
Sodium Persulfate	96 h LC50	Grass shrimp	519	mg/L
Sodium Persulfate	72 h EC50	Algae Selenastrum capricornutum	116	mg/L

Persistence and degradability Biodegradability does not pertain to inorganic substances.

Bioaccumulation Does not bioaccumulate.

Mobility Dissociates into ions.

Other Adverse Effects None known.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.

US EPA Waste Number D001.

Contaminated Packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION**DOT**

UN/ID no UN 1505
Proper Shipping Name SODIUM PERSULFATE
Hazard class 5.1
Packing Group III

TDG

UN/ID no UN 1505
Proper Shipping Name SODIUM PERSULFATE
Hazard class 5.1
Packing Group III

MEX

UN/ID no UN 1505
Proper Shipping Name SODIUM PERSULFATE
Hazard class 5.1
Packing Group III

ICAO/IATA

UN/ID no 1505
Proper Shipping Name SODIUM PERSULFATE
Hazard class 5.1
Packing Group III

IMDG/IMO

Sodium Persulfate

SDS # : 7775-27-1
Revision date: 2018-07-13
Version 1.04

UN/ID no 1505
Proper Shipping Name SODIUM PERSULFATE
Hazard class 5.1
Packing Group III

ADR/RID

UN/ID no UN 1505
Proper Shipping Name SODIUM PERSULFATE
Hazard class 5.1
Packing Group III

ADN

Proper Shipping Name SODIUM PERSULFATE
Hazard class 5.1
Packing Group III

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

This product has the following hazards that are reportable under The Emergency Planning and Community Right-to-Know rule (EPCRA Tier II):

- Oxidizer
- Acute toxicity
- Skin corrosion/irritation
- Serious eye damage/eye irritation
- Respiratory/skin sensitization
- Specific Target Organ Toxicity (STOT) - Single Exposure

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA/EPCRA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

U.S. State Right-to-Know Regulations

This product contains the following substances regulated under state Right-to-Know laws:

Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sodium Persulfate		X			
Sodium sulfate	X		X		

California Proposition 65

This product does not contain any Proposition 65 chemicals

CANADA

